

TOP SELLER

01.2017

Power distributions Lighting systems

Solid rubber
cable reel 501

from
215,-€

See page 3



AlphaLUXX 25-60

from
145,-€

See page 8



GIFAS
E L E C T R I C



Cables

Designation	Article No.	Conductor number x cross section in mm ²	Cable external-Ø in mm	Price in EUR/m
EXTREMFLEX H07	102876	3x1,5	9,0	1,90
PROFLEX H07	102863	3x1,5	10,1	1,70
PROFLEX H07	103001	5x2,5	14,5	4,70

from 1,70€



Device connecting cables

Designation	Article No.	Length in m	Conductor number x cross section in mm ²	Plug	Price in EUR/pc.
EXTREMFLEX H07	203688	5	3x1,5	protective contact	15,90
PROFLEX H07	112735	3	2x1,0	contour	7,90
PROFLEX H07	100464	5	3x1,5	protective contact	13,00

from 7,90€



Extensions

Designation	Article No.	Length in m	Conductor number x cross section in mm ²	Plug / connector	Price in EUR/pc.
PROFLEX H07	258003	10	3x1,5	protective contact plug / protective contact connector	22,00
PROFLEX H07	269425	20	3x1,5	protective contact plug / protective contact connector	36,00
PROFLEX H07	120123	10	5x2,5	CEE 5x16A/400V	99,00
PROFLEX H07 mit PRCD-S	246171	2	3x1,5	protective contact plug / protective contact connector	159,00

from 22,-€



Cable protectors



from 165,-€

Designation	Article No.	Length in mm	Width in mm	Depth in mm	Number of channels	Channel widths in mm	Channel heights in mm	Weight in kg	Price in EUR/pc.
SMART	262866	1000	290	48	3	35	30/35/30	5,0	165,00
PROTECT	242122	1000	605	75	3	52/45/56	50	19,0	333,00

Solid rubber cable reels



Designation	Article No.	Input	Output	Symbols Output	Price in EUR/pc.
Series 501	255873	25m H07RN-F 3x1,5mm ² with protective contact plug	3 protective contact sockets		215,00
Series 501	259804	25m H07RN-F 3x1,5mm ² with protective contact plug	3 protective contact sockets PRCD-S		359,00
Series 502	253882	50m H07RN-F 3x1,5mm ² with protective contact plug	3 protective contact sockets		285,00

Plastic cable reels



Designation	Article No.	Input	Output	Symbols Output	Price in EUR/pc.
Series 511K2	289723	25m H07RN-F 3x1,5mm ² with protective contact plug	3 protective contact sockets		169,00
Series 512K2	289724	50m H07RN-F 3x1,5mm ² with protective contact plug	4 protective contact sockets		209,00
Series 512K2	289725	25m H07RN-F 5x2,5mm ² with CEE-plug 400V/16A	1 CEE plug 3 protective contact sockets		232,00
Series 512K2	289726	40m H07RN-F 3x2,5mm ² with protective contact plug	4 protective contact sockets		185,00

Solid rubber wall-mounted distributors



398,-€

Series 7200



509,-€

Series 7400



379,-€

Series 7300



599,-€

Series 7700

Designation	Article No.	Symbols Output	Output	Input	Cable protection / personal protection	Price in EUR/pc.
Series 7200	209584		1 CEE 5x63A/400V	1 SCG M40 from above 1 BV M40 from below	1 LP 63A.3PC 1 RCCB 63/0,03A 4p	398,00
Series 7300	209579		1 CEE 5x16A/400V 3 protective contact sockets 230V	1 SCG M25 from above	1 LP 16A.3PC 2 LP 16A.1PB 1 RCCB 40/0,03A 4p	379,00
Series 7400	200147		1 CEE 5x32A/400V 1 CEE 5x16A/400V 3 protective contact sockets 230V	1 SCG M32 from below	1 LP 32A. 3PC 1 LP 16A. 3PC 3 LP 16A. 1PB 1 RCCB 40/0,03A 4p	509,00
Series 7700	239304		1 CEE 5x32A/400V 1 CEE 5x16A/400V 4 protective contact sockets 230V	1 SCG M32 from below	1 LP 32A.3PC 1 LP 16A.3PC 4 LP 16A.1PB 1 RCCB 63/0,03A 4p	599,00

Mobile solid rubber distributors

from
95,-€



Series 1400



Series 3500



Series 6200

Designation	Article No.	Symbols Output	Output	Input	Cable protection / personal protection	Price in EUR/pc.
Series 1400	210502		2 protective contact sockets 230V	3m 3x1,5mm ² protective contact plug	RCCB 25/0,03A 2p.	159,00
Series 1400	210521		4 protective contact sockets 230V	3m 3x1,5mm ² protective contact plug		95,00
Series 3500	117675		1 CEE 5x32A/400V 2 CEE 5x16A/400V 3 protective contact sockets 230V	3m 5x6,0mm ² CEE 5x32A/400V	Neozed 16A Neozed 16A RCCB 40/0,03A 4p.	748,00
Series 6200	208981		1 CEE 5x16A/400V 3 protective contact sockets 230V	3m 5x2,5mm ² CEE 5x16A/400V	RCCB 25/0,03A 4p.	409,00
Series 6200	207755		1 CEE 5x32A/400V 1 CEE 5x16A/400V 3 protective contact sockets 230V	3m 5x6,0mm ² CEE 5x32A/400V	Neozed 16A Neozed 16A	455,00

Mobile solid rubber transformers

from
222,-€



Series 2516



Series 6700

Designation	Article No.	Symbols Output	Power in VA	Voltage in V	Output	Input	Built-in	Price in EUR/pc.
Series 2516 Safety transformer	208768		120	230/24	1 CEE 2x16A/24V	3m 2x1,5mm ² contour plug	1 thermal overload cut-out switch 0,6A	222,00
Series 2516 Safety transformer	208628		120	230/42	1 CEE 2x16A/42V	3m 2x1,5mm ² contour plug	1 thermal overload cut-out switch 0,6A	244,00
Series 6700 Isolating transformer	263293		2500	230/230	1 Schuko 230V	3m 2x1,5mm ² contour plug	1 thermal overload cut-out switch 12A 1 inrush current limiter 10A	729,00

ApolloLED2

LED Area light

from
2.015,-€

Input voltage 100~277VAC
System power 538W*
Luminous flux up to 53760lm
Protection category IP44 (IP54 from above)
Protection class I
Dimensions (ØxL) 205x900mm
Weight 11kg
Illumination area over 700m²

*System power is dependent on the operating mode

Designation	Article No.	Price in EUR/pc.
ApolloLED2 230V	286297	2.015,00
Apollo solid crank stand, chrome-plated steel, height max. 3,58m, with 3 standing feet	266688	589,00
Apollo case, 280x1180x300mm	266937	244,00
Connecting cable, 5m with protective contact plug	269318	29,00



PrimaLED

30W Flood light

from
178,-€

Input voltage 230VAC, 24/42VAC/DC
Protection category IP65 (w/o socket) / IP54 (socket)
Cover satin-finish macrolon
Dimensions (WxHxD) 305x295x110mm
Weight 3,1kg

Designation	Article No.	Price in EUR/pc.
PrimaLED 230VAC, 30W, 5m H07RN-F 3x1,5qmm with contour plug	283641	178,00
PrimaLED 230VAC, 30W, 10m H07RN-F 3x1,5qmm with contour plug	283642	198,00



I-LED battery

Industrial LED spotlight

164,-€

Power supply Li-Ionen 4400mAh
Light duration 9h Modus 60%
5h Modus 100%
Switching mode 100, 60%, SOS (flashing), OFF
Light source 5x 3W LED
Light output 900lm
Light colour 6500K
Protection category IP65
Protection class III



Designation	Article No.	Price in EUR/pc.
I-LED battery light with magnet incl. 230V plug-in power pack and plug 12V	284480	164,00

PARALUX PX0/PX1

Ex-Battery lights



from
62,-€



ATEX certified
100% watertight

Designation	Article No.	Price in EUR/pc.
PARALUX PX0 incl. batteries, red explosion zone 0/21, IP68	283286	78,00
PARALUX PX1 incl. batteries, yellow explosion zone 1/21, IP68	283285	62,00

Strap holder and Helmet mounting on request.

FlutLED-Ex

Ex-Battery 10W

Power supply Li-Ion Akku
Voltage 100-277VAC
Light output 1265lm
Charging time 4,5h
Light duration max. 10h
Dimensions (WxHxD) 210x282x182mm
Weight 5,3kg



759,-€

Designation	Article No.	Price in EUR/pc.
FlutLED-Ex Battery 10W, Ex zones 1, 2, 21, and 22, 50/60Hz, IP66	288400	759,00

FlashLED

Battery-powered light with emergency light function



365,-€

Power supply	Li-Ion-Akku, 4400mAh
Light duration	9h Spot (3 LED)
Luminous flux	200lm Spot + Wide 1000lm Full light
Protection category	IP65
Protection class	III
Dimensions (WxHxD)	125x260x92,5mm
Weight	1120g

Designation	Article No.	Price in EUR/pc.
FlashLED work and inspection light with emergency light function	860025	365,00
FlashLED 230VAC charging station, incl. 1,5m cable and contour plug	860032	65,00

Charging station 12V on request.

WorkLED FLEX

Rechargeable battery hand-held light

Power supply	Li-Ion battery
Light duration	5h
Luminous flux	350lm
Protection category	IP54
Dimensions (WxHxD)	280x48x40mm
Weight	300g

Designation	Article No.	Price in EUR/pc.
WorkLED FLEX	800006	65,00



65,-€

TorchLED

LED Torch



from 86,-€

- Non-slip, impact-resistant, free-standing
- Strap holder / retaining clip made from POM
- Can be wall or desktop mounted
- Charging station with lamp retainer
- Including hand loop
- TorchLED with emergency light function: in the event of a power cut, the TorchLED will switch on automatically
- Optional with rechargeable battery (please order 4 batteries)

Designation	Article No.	Price in EUR/pc.
TorchLED for battery or rechargeable battery (excl.), IP54, incl. hand loop	860237	86,00
TorchLED emergency light for battery or rechargeable battery (excl.), IP54, incl. hand loop	860236	89,00
TorchLED 230VAC/15VDC charging station, IP20, incl. 1,5m cable with plug transformer	860276	18,00
NiMH 1900 mAh rechargeable battery (AA) -1 piece-	860274	4,20

Torch-Series

Battery hand lights



from 12,50€

Designation	Article No.	Price in EUR/pc.
Torch S1, 51h light duration, 420lm, IP65, 176g, 37x139mm, incl. batteries, hand loop, belt holster functions: stepless dimming (1-100%), strobe light, flash, SOS signal, focusable	800001	46,00
Torch S7, 3,5h light duration, 110lm, IP65, 94g, 15x137mm, incl. batteries, hand loop	800003	19,00
Torch PENLIGHT, 6h light duration, 200lm, 33g, 20x160mm, magnet in the base, incl. belt clip and batteries	800008	12,50
Torch HR Battery head light, swiveling luminaire head, 2 brightness levels, light duration 8h high beam/ 16h dipped beam, 150m beam width, IP65, 164g incl. battery, 33x45mm	800038	72,00

AlphaLUXX 80-120

LED Spotlight 120W



from
519,-€

- Suitable for use in workshops at risk of fire (D labelling)
- PTFE-coated, approved for the food industry (according to IFS)

AlphaLUXX 120W		AlphaLUXX-AC 120W	
Luminous flux	18700lm	Luminous flux	12900lm
System efficiency	146lm/W	System efficiency	109lm/W
Power pack	external	Power pack	without
Dimensions (WxHxD H)	389x252x106,5mm	Dimensions (WxHxD H)	389x252x49,5mm
Weight	7,0kg	Weight	5,5kg

Designation	Article No.	Price in EUR/pc.
AlphaLUXX 120*, 100-277VAC, 120W, IP65	800043	559,00
AlphaLUXX-AC 120, 200-240VAC, 120W, IP66	800044	519,00
Connection cable 5m H07RN-F 3x1,5mm ² w/protective contact plug, w/cable connector	290334	19,50

*Dimming optional 1~10V (DALI with add-on module)

StreamLED SL50

LED Protected tube light 26W



176,-€

Input voltage	230VAC
System power	26W
Light source	T8 LED
Protection category	IP68
Protection class	I
Dimensions (ØxL)	70x1570mm

Designation	Article No.	Price in EUR/pc.
StreamLED SL50, 230VAC, 26W	840002	176,00

AlphaLUXX 25-60

LED Spotlight 25W / 40W / 60W



from
145,-€

- Suitable for use in workshops at risk of fire (D labelling)
- PTFE-coated, approved for the food industry (according to IFS)

Version	25W / 40W / 60W
Luminous flux	3550lm / 5500lm / 7800lm
System efficiency	139lm/W / 136lm/W / 128lm/W
Dimensions (WxHxD)	289x176x85,5mm
Weight	2,7kg



Designation	Article No.	Price in EUR/pc.
AlphaLUXX 25, 100-277VAC, 25W, IP65	800083	145,00
AlphaLUXX 40, 100-277VAC, 40W, IP65	800075	182,00
AlphaLUXX 60, 100-277VAC, 60W, IP65	800084	212,00
Connection cable 5m H07RN-F 3x1,5mm ² w/protective contact plug, w/cable connector	290334	19,50

LineLED2

LED Ceiling light 40W



148,-€

Input voltage	100~277VAC
System power	40W
Luminous flux	4200lm
Protection category	IP66
Protection class	II
Impact resistance	IK10
Dimensions (LxBxH)	1200x63x83mm
Weight	2,5kg

Designation	Article No.	Price in EUR/pc.
LineLED2, 100-277VAC, 40W	800016	148,00

New products and specialist solutions, along with the latest product catalogue, can be found on our website:

www.gifas.de

Offers valid from 01.03.2017 - 30.09.2017

GIFAS ELECTRIC GmbH

Borsigstraße 9
41469 Neuss
GERMANY

+49 2137 105-0
+49 2137 105-230
verkauf@gifas.de
www.gifas.de

company stamp